



Cable

Product Overview

Table of Contents

HDMI/DVI

HDMI to HDMI 4K	04
HDMI to Micro HDMI 4K	05
HDMI to Mini HDMI 4K	05
HDMI to HDMI	06
HDMI to DVI-D (18+1)	07
HDMI to DVI-D (24+1)	07
DVI-D to DVI-D (18+1)	08
DVI-D to DVI-D (24+1)	08



DisplayPort/Mini DisplayPort

DisplayPort to DisplayPort	10
Mini DisplayPort to HDMI Adapter	11
Mini DisplayPort to VGA Adapter	12
Mini DisplayPort to DVI-D Adapter	13



USB Cables

USB 2.0	15
USB 2.0 Extension	16
USB 2.0 Micro	17
USB 2.0 Mini	18
USB 3.0	19
USB 3.0 Extension	19
USB 3.0 Micro	20



Patch Cables

Patch Cable Cat.5e	22
Patch Cable Cat.6	23



SATA

SATA 2 90°	25
SATA 2 180°	25
SATA 3.0 90°	26
SATA 3.0 180°	26



Internal Cables

Fan Extension 3-Pin	28
Fan Y-Cable 3-Pin	28
Power Cable	29
Power Cable (Adapter Cable)	29
Internal USB 2.0 to USB 3.0 Adapter	30



USB Charge/Sync Cable

USB Cable with Lightning Connector	32
------------------------------------	----



Packaging Unit

HDMI / DVI



HDMI to HDMI 4K


Type A Plug to Type A Plug

- Supports 4K x 2K 60 Hz
- Inner conductor: copper
- 3D ready
- Gold-plated connectors
- 30 AWG: 1-3 m
- 28 AWG: 5 m
- 26 AWG: 7.5 m
- 24 AWG: 10 m



	Color	
Length	Black	White
1.0 m	4044951018024	4044951018109
2.0 m	4044951018031	4044951018116
3.0 m	4044951018048	—
5.0 m	4044951018055	—
7.5 m	4044951018062	—
10.0 m	4044951018079	—
12.5 m	4044951018086	—
15.0 m	4044951018093	—

Cable cross section:



HDMI to Micro HDMI 4K


Type A Plug to Type D Plug

- Supports 4K x 2K 60 Hz
- 3D ready
- 32 AWG
- Gold-plated connectors



	Color
Length	Black
1.0 m	4044951017966
1.5 m	4044951017973

Cable cross section:



HDMI to Mini HDMI 4K


Type A Plug to Type C Plug

- Supports 4K x 2K 60 Hz
- 3D ready
- 32 AWG
- Gold-plated connectors



	Color
Length	black
1.0 m	4044951017997
2.0 m	4044951018000
3.0 m	4044951018017

Cable cross section:



HDMI to HDMI


Type A Plug to Type A Plug

- Inner conductor: copper
- 3D ready
- 30 AWG 1-5 m
- 28 AWG 7.5-10 m
- 26 AWG 12.5-15 m
- Gold-plated connectors



Length	Color	
	Black	White
1.0 m	4044951015122	4044951015139
2.0 m	4044951008971	4044951015146
3.0 m	4044951008988	—
5.0 m	4044951008995	—
7.5 m	4044951017393	—
10.0 m	4044951009039	—
12.5 m	4044951017409	—
15.0 m	4044951009046	—


Cable cross section:



HDMI to DVI-D


Type A Plug to Type 18+1 Plug

- DVI-D single link 18+1
- Max. resolution: full HD 1920 x 1080
- 28 AWG



	Color
Length	Black
1.0 m	4044951017324
2.0 m	4044951009053
3.0 m	4044951009060
5.0 m	4044951009077


Cable cross section:



HDMI to DVI-D


Type A Plug to Type 24+1 Plug

- DVI-D dual link 24+1
- Max. resolution: 1920 x 1080
- 28 AWG



	Color
Length	Black
1.0 m	4044951017331
2.0 m	4044951015214
3.0 m	4044951015221
5.0 m	4044951015238

Cable cross section:



DVI-D to DVI-D


Type 18+1 Plug to Type 18+1 Plug

- DVI-D single link 18+1
- Max. resolution: full HD 1920 x 1080
- 28 AWG

	Color
Length	Black
2.0 m	4044951009084
3.0 m	4044951009091
5.0 m	4044951009107



Cable cross section:



DVI-D to DVI-D


Type 24+1 Plug to 24+1 Plug

- DVI-D dual link 24+1
- Max. resolution: 2560 x 1600
- 28 AWG

	Color
Length	Black
2.0 m	4044951009114
3.0 m	4044951009121
5.0 m	4044951009138



Cable cross section:



DisplayPort / Mini DisplayPort



DisplayPort to DisplayPort


20-Pin Plug to 20-Pin Plug

- DisplayPort V1.2
- Supports 4K x 2K 60 Hz
- Cable with locking mechanism
- Gold-plated connectors
- Backwards compatible to DisplayPort V1.1



	Color
Length	Black
1.0 m	4044951018154
2.0 m	4044951018161
3.0 m	4044951018178

Cable cross section:




Mini DisplayPort Adapter

Mini DisplayPort to HDMI Adapter

- Mini DisplayPort V1.2
- 4K ready
- Supports 1900 x 1200
- Gold-plated connectors
- Backwards compatible to DisplayPort V1.1

	Color
Length	White
15 cm	4044951017362




Mini DisplayPort Adapter

Mini DisplayPort to VGA Adapter

- Mini DisplayPort V1.2
- 4K ready
- Supports 1900 x 1200
- Gold-plated connectors
- Backwards compatible to DisplayPort V1.1

	Color
Length	White
15 cm	4044951017379




Mini DisplayPort Adapter

Mini DisplayPort to DVI Adapter

- Mini DisplayPort V1.2
- 4K ready
- Supports 1900 x 1200
- Gold-plated connectors
- Backwards compatible to DisplayPort V1.1

	Color
Length	White
15 cm	4044951017386




USB Cables




USB 2.0

Type A Plug to Type B Plug

- Inner conductor: copper
- 28 AWG
- Double shielded
- Max. data transfer rate: 480 Mbit/s




Cable cross section:



	Color	
Length	Black	Grey
0.50 m	4044951015245	4044951015290
1.0 m	4044951015252	4044951015306
2.0 m	4044951015269	4044951015313
3.0 m	4044951015276	4044951015320
5.0 m	4044951015283	4044951015337



Cable cross section:



	Color
Length	White
0.50 m	4044951015344
1.0 m	4044951015351
2.0 m	4044951015368
3.0 m	4044951015375
5.0 m	4044951015382




USB 2.0 Extension

Type A Plug to Type A Extension Plug

- Inner conductor: copper
- 28 AWG
- Double shielded
- Max. data transfer rate: 480 Mbit/s




Cable cross section:



	Color
Length	Black
0.50 m	4044951015399
1.0 m	4044951015405
2.0 m	4044951015412
3.0 m	4044951015429



Cable cross section:




	Color
Length	White
0.50 m	4044951015436
1.0 m	4044951015443
2.0 m	4044951015450
3.0 m	4044951015467




USB 2.0 Micro

Type A Plug to Micro-B Plug

- Inner conductor: copper
- 28 AWG
- Double shielded
- Max. data transfer rate: 480 Mbit/s




Cable cross section:



Color	
Length	Black
0.50 m	4044951015474
1.0 m	4044951015481
1.5 m	4044951017775
2.0 m	4044951015498
3.0 m	4044951015504



Cable cross section:




Color	
Length	White
0.50 m	4044951015511
1.0 m	4044951015528
1.5 m	4044951017881
2.0 m	4044951015535
3.0 m	4044951015542




USB 2.0 Mini

Type A Plug to Mini-B Plug

- Inner conductor: copper
- 28 AWG
- Double shielded
- Max. data transfer rate: 480 Mbit/s




Cable cross section:



	Color
Length	Black
0.50 m	4044951015559
1.0 m	4044951015566
1.5 m	4044951017782
2.0 m	4044951015573
3.0 m	4044951015580



Cable cross section:



	Color
Length	White
0.50 m	4044951015597
1.0 m	4044951015603
1.5 m	4044951017898
2.0 m	4044951015610
3.0 m	4044951015627



USB 3.0


Type A Plug to Type B Plug

- SuperSpeed USB 3.0
- Max. data transfer rate: 5 Gbit/s
- Max current: 900 mA
- Double shielded
- 28 AWG

Length	Color	
	Blue	Black
1.0 m	4044951010837	4044951015634
2.0 m	4044951010844	4044951015641
3.0 m	4044951010851	4044951015658
5.0 m	4044951010868	4044951015665



Cable cross section:



USB 3.0 Extension


Type A Plug to Type A Extension Plug

- SuperSpeed USB 3.0
- Max. data transfer rate: 5 Gbit/s
- Max. current: 900 mA
- Double shielded
- 28 AWG

Length	Color	
	Blue	Black
1.0 m	4044951010875	4044951015672
2.0 m	4044951010882	4044951015689
3.0 m	4044951010899	4044951015696



Cable cross section:



USB 3.0 Micro


Type A Plug to Micro-B Plug

- SuperSpeed USB 3.0
- Max. data transfer rate: 5 Gbit/s
- Max. current: 900 mA
- Double shielded
- 28 AWG

	Color	
Length	Blue	Black
1.0 m	4044951010905	4044951015702
1.5 m	—	4044951017874
2.0 m	4044951010912	4044951015719
3.0 m	4044951010929	4044951015726



Cable cross section:




Patch Cables



Patch Cable

Cat.5e Plug to Cat.5e Plug


- SFTP
- 26 AWG
- Inner conductor: copper
- Gold-plated connectors
- ISO/IEC 11801, EN50288, TIA/EIA 568-C.2



	Color						
Length	Blue	Yellow	Green	Red	Black	Grey	White
0.25 m	4044951014194	4044951014262	4044951014330	4044951014408	4044951014477	4044951014613	4044951014545
0.50 m	4044951014200	4044951014279	4044951014347	4044951014415	4044951014484	4044951014620	4044951014552
1.0 m	4044951014217	4044951014286	4044951014354	4044951014422	4044951014491	4044951014637	4044951014569
1.5 m	4044951017768	4044951017737	4044951017744	4044951017751	4044951017713	4044951017720	4044951017799
2.0 m	4044951014224	4044951014293	4044951014361	4044951014439	4044951014507	4044951014644	4044951014576
3.0 m	4044951014231	4044951014309	4044951014378	4044951014446	4044951014514	4044951014651	4044951014583
5.0 m	4044951014248	4044951014316	4044951014385	4044951014453	4044951014521	4044951014668	4044951014590
10.0 m	4044951014255	4044951014323	4044951014392	4044951014460	4044951014538	4044951014675	4044951014606




Cable cross section:



Patch Cable

Cat.6 Plug to Cat.6 Plug


- SFTP
- 26 AWG
- Inner conductor: copper
- Gold-plated connectors
- ISO/IEC 11801, EN50288, TIA/EIA 568-C.2



	Color						
Length	Blue	Yellow	Green	Red	Black	Grey	White
0.25 m	4044951014682	4044951014750	4044951014828	4044951014897	4044951014965	4044951015108	4044951015030
0.50 m	4044951014699	4044951014767	4044951014835	4044951014903	4044951014972	4044951003679	4044951015047
1.0 m	4044951014705	4044951014774	4044951014842	4044951014910	4044951014989	4044951003686	4044951015054
1.5 m	4044951017850	4044951017829	4044951017836	4044951017843	4044951017805	4044951017812	4044951017867
2.0 m	4044951014712	4044951014781	4044951014859	4044951014927	4044951014996	4044951015115	4044951015061
3.0 m	4044951014729	4044951014798	4044951014866	4044951014934	4044951015009	4044951003693	4044951015078
5.0 m	4044951014736	4044951014804	4044951014873	4044951014941	4044951015016	4044951003709	4044951015085
10.0 m	4044951014743	4044951014811	4044951014880	4044951014958	4044951015023	4044951003723	4044951015092
20.0 m	—	—	—	—	—	4044951003747	—
100.0 m	—	—	—	—	—	4044951003761	—



Cable cross section:



SATA




SATA 2 90°

7-Pin L-Type Plug to 7-Pin 90° L-Type Plug

- Max. data transfer rate: 3 Gbit/s
- Metal latch
- Angled

	Color
Length	Red
50 cm	4044951007875




SATA 2 180°

7-Pin L-Type Plug to 7-Pin L-Type Plug

- Max. data transfer rate: 3 Gbit/s
- Metal latch


	Color
Length	Red
50 cm	4044951007868



SATA 3 90°

7-Pin L-Type Plug to 7-Pin 90° L-Type Plug

- Max. data transfer rate: 6 Gbit/s
- Metal latch
- Angled
- Sleeved cable



Length	Color				
	Blue	Green	Red	Black	White
0.3 m	4044951016488	4044951016471	4044951016457	4044951016440	4044951016464
0.45 m	4044951016532	4044951016525	4044951016501	4044951016495	4044951016518
0.6 m	4044951016587	4044951016570	4044951016556	4044951016549	4044951016563
0.75 m	—	—	—	4044951017171	—
1.0 m	—	—	—	4044951017188	—



SATA 3 180°

SATA 7-Pin L-Type Plug to 7-Pin L-Type Plug

- Max. data transfer rate: 6 Gbit/s
- Metal latch
- Sleeved cable



Length	Color				
	Blue	Green	Red	Black	White
0.3 m	4044951016631	4044951016624	4044951016600	4044951016594	4044951016617
0.45 m	4044951016686	4044951016679	4044951016655	4044951016648	4044951016662
0.6 m	4044951016730	4044951016723	4044951016709	4044951016693	4044951016716
0.75 m	—	—	—	4044951017157	—
1.0 m	—	—	—	4044951017164	—



Internal Cables



Fan Extension 3-Pin

Type 3-Pin Plug to Type 3-Pin Extension

- Sleeved cable

	Color
Length	Black
0.3 m	4044951016747



Fan Y-Cable 3-Pin

Type 2x 3-Pin Plug to Type 3-Pin Jack

- Sleeved cable

	Color
Length	Black
0.2 m	4044951016754



Power Cable

Type 4-Pin Molex Plug to 4-Pin Molex Jack and 3-Pin Fan Plug

- Sleeved cable

	Color
Length	Black
0.3 m	4044951016761



Power Cable (Adapter Cable)

Type 4-Pin Molex Plug to 4-Pin Molex Jack and 3-Pin Fan Plug

- Adapter cable 12 V to 5 V
- Sleeved cable

	Color
Length	Black
0.3 m	44044951016778



Internal USB 2.0 to USB 3.0 Adapter

Internal USB 3.0 to USB 2.0 Adapter

- USB 2.0 9-pin header plug
- Max. data transfer rate: 480 MBit/s
- Sleeved cable

	Color
Length	Black
0.2 m	4044951016785



USB Charge/Sync Cable



USB Cable with Lightning Connector

- Ready for Apple lightning devices
- USB 2.0 (compatible to iPad/iPad mini/iPhone)
- Max. data transfer rate USB 2.0: 480 Mbit/s



Length	Color	
	White	Black
1 m	4044951018222	4044951018307



Packaging Unit

Page	Article	EAN	Color	Length	Packing
4	HDMI to HDMI 4K	4044951018024	black	1 m	140
4	HDMI to HDMI 4K	4044951018109	white	1 m	140
4	HDMI to HDMI 4K	4044951018031	black	2 m	80
4	HDMI to HDMI 4K	4044951018116	white	2 m	80
4	HDMI to HDMI 4K	4044951018048	black	3 m	60
4	HDMI to HDMI 4K	4044951018055	black	5 m	30
4	HDMI to HDMI 4K	4044951018062	black	7.5 m	20
4	HDMI to HDMI 4K	4044951018079	black	10 m	12
4	HDMI to HDMI 4K	4044951018086	black	12.5 m	12
4	HDMI to HDMI 4K	4044951018093	black	15 m	10
5	HDMI to Micro HDMI 4K	4044951017966	black	1 m	150
5	HDMI to Micro HDMI 4K	4044951017973	black	1.5 m	120
5	HDMI to Mini HDMI 4K	4044951017997	black	1 m	140
5	HDMI to Mini HDMI 4K	4044951018000	black	2 m	80
5	HDMI to Mini HDMI 4K	4044951018017	black	3 m	60
6	HDMI to HDMI	4044951015122	black	1 m	140
6	HDMI to HDMI	4044951015139	white	1 m	140
6	HDMI to HDMI	4044951008971	black	2 m	80
6	HDMI to HDMI	4044951015146	white	2 m	80
6	HDMI to HDMI	4044951008988	black	3 m	60
6	HDMI to HDMI	4044951008995	black	5 m	40
6	HDMI to HDMI	4044951017393	black	7.5 m	25
6	HDMI to HDMI	4044951009039	black	10 m	20
6	HDMI to HDMI	4044951017409	black	12.5 m	18
6	HDMI to HDMI	4044951009046	black	15 m	10
7	HDMI to DVI-D (Single Link 18+1)	4044951017324	black	1 m	100
7	HDMI to DVI-D (Single Link 18+1)	4044951009053	black	2 m	60
7	HDMI to DVI-D (Single Link 18+1)	4044951009060	black	3 m	40
7	HDMI to DVI-D (Single Link 18+1)	4044951009077	black	5 m	30
7	HDMI to DVI-D (Single Link 24+1)	4044951017331	black	1 m	100
7	HDMI to DVI-D (Single Link 24+1)	4044951015214	black	2 m	60
7	HDMI to DVI-D (Single Link 24+1)	4044951015221	black	3 m	40
7	HDMI to DVI-D (Single Link 24+1)	4044951015238	black	5 m	30

Page	Article	EAN	Color	Length	Packing
8	DVI-D to DVI-D (Single Link 18+1)	4044951009084	black	2 m	60
8	DVI-D to DVI-D (Single Link 18+1)	4044951009091	black	3 m	40
8	DVI-D to DVI-D (Single Link 18+1)	4044951009107	black	5 m	30
8	DVI-D to DVI-D (Dual Link 24+1)	4044951009114	black	2 m	40
8	DVI-D to DVI-D (Dual Link 24+1)	4044951009121	black	3 m	30
8	DVI-D to DVI-D (Dual Link 24+1)	4044951009138	black	5 m	20
10	DisplayPort to DisplayPort	4044951018154	black	1 m	90
10	DisplayPort to DisplayPort	4044951018161	black	2 m	60
10	DisplayPort to DisplayPort	4044951018178	black	3 m	40
11	Mini Display Port to HDMI	4044951017362	white	15 cm	200
12	Mini Display Port to VGA	4044951017379	white	15 cm	200
13	Mini DisplayPort to DVI-D	4044951017386	white	15 cm	200
15	USB 2.0	4044951015245	black	0.5 m	300
15	USB 2.0	4044951015290	grey	0.5 m	300
15	USB 2.0	4044951015252	black	1 m	200
15	USB 2.0	4044951015306	grey	1 m	200
15	USB 2.0	4044951015269	black	2 m	150
15	USB 2.0	4044951015313	grey	2 m	150
15	USB 2.0	4044951015276	black	3 m	100
15	USB 2.0	4044951015320	grey	3 m	100
15	USB 2.0	4044951015283	black	5 m	80
15	USB 2.0	4044951015337	grey	5 m	80
15	USB 2.0	4044951015344	white	0.5 m	230
15	USB 2.0	4044951015351	white	1 m	180
15	USB 2.0	4044951015368	white	2 m	120
15	USB 2.0	4044951015375	white	3 m	70
15	USB 2.0	4044951015382	white	5 m	100
16	USB 2.0 Extension	4044951015399	black	0.5 m	300
16	USB 2.0 Extension	4044951015405	black	1 m	200
16	USB 2.0 Extension	4044951015412	black	2 m	150
16	USB 2.0 Extension	4044951015429	black	3 m	100
16	USB 2.0 Extension	4044951015436	white	0.5 m	230
16	USB 2.0 Extension	4044951015443	white	1 m	180
16	USB 2.0 Extension	4044951015450	white	2 m	120
16	USB 2.0 Extension	4044951015467	white	3 m	70



Page	Article	EAN	Color	Length	Packing
17	USB 2.0 Micro	4044951015474	black	0,5 m	300
17	USB 2.0 Micro	4044951015481	black	1 m	200
17	USB 2.0 Micro	4044951017775	black	1.5 m	200
17	USB 2.0 Micro	4044951015498	black	2 m	150
17	USB 2.0 Micro	4044951015504	black	3 m	100
17	USB 2.0 Micro	4044951015511	white	0.5 m	230
17	USB 2.0 Micro	4044951015528	white	1 m	280
17	USB 2.0 Micro	4044951017881	white	1.5 m	250
17	USB 2.0 Micro	4044951015535	white	2 m	120
17	USB 2.0 Micro	4044951015542	white	3 m	70
18	USB 2.0 Mini	4044951015559	black	0.5 m	300
18	USB 2.0 Mini	4044951015566	black	1 m	200
18	USB 2.0 Mini	4044951017782	black	1.5 m	200
18	USB 2.0 Mini	4044951015573	black	2 m	150
18	USB 2.0 Mini	4044951015580	black	3 m	100
18	USB 2.0 Mini	4044951015597	white	0.5 m	230
18	USB 2.0 Mini	4044951015603	white	1 m	180
18	USB 2.0 Mini	4044951017898	white	1.5 m	250
18	USB 2.0 Mini	4044951015610	white	2 m	120
18	USB 2.0 Mini	4044951015627	white	3 m	70
19	USB 3.0	4044951010837	blue	1 m	180
19	USB 3.0	4044951015634	black	1 m	180
19	USB 3.0	4044951010844	blue	2 m	120
19	USB 3.0	4044951015641	black	2 m	120
19	USB 3.0	4044951010851	blue	3 m	70
19	USB 3.0	4044951015658	black	3 m	70
19	USB 3.0	4044951010868	blue	5 m	40
19	USB 3.0	4044951015665	black	5 m	40
19	USB 3.0 Extension	4044951010875	blue	1 m	180
19	USB 3.0 Extension	4044951015672	black	1 m	180
19	USB 3.0 Extension	4044951010882	blue	2 m	120
19	USB 3.0 Extension	4044951015689	black	2 m	120
19	USB 3.0 Extension	4044951010899	blue	3 m	70
19	USB 3.0 Extension	4044951015696	black	3 m	70

Page	Article	EAN	Color	Length	Packing
20	USB 3.0 Micro	4044951010905	blue	1 m	180
20	USB 3.0 Micro	4044951015702	black	1 m	180
20	USB 3.0 Micro	4044951017874	black	1.5 m	120
20	USB 3.0 Micro	4044951010912	blue	2 m	120
20	USB 3.0 Micro	4044951015719	black	2 m	120
20	USB 3.0 Micro	4044951010929	blue	3 m	70
20	USB 3.0 Micro	4044951015726	black	3 m	70

22	Patch Cable Cat.5e	4044951014194	blue	0.25 m	300
22	Patch Cable Cat.5e	4044951014262	yellow	0.25 m	300
22	Patch Cable Cat.5e	4044951014330	green	0.25 m	300
22	Patch Cable Cat.5e	4044951014408	red	0.25 m	300
22	Patch Cable Cat.5e	4044951014477	black	0.25 m	300
22	Patch Cable Cat.5e	4044951014613	grey	0.25 m	300
22	Patch Cable Cat.5e	4044951014545	white	0.25 m	400
22	Patch Cable Cat.5e	4044951014200	blue	0.5 m	250
22	Patch Cable Cat.5e	4044951014279	yellow	0.5 m	250
22	Patch Cable Cat.5e	4044951014347	green	0.5 m	250
22	Patch Cable Cat.5e	4044951014415	red	0.5 m	250
22	Patch Cable Cat.5e	4044951014484	black	0.5 m	250
22	Patch Cable Cat.5e	4044951014620	grey	0.5 m	250
22	Patch Cable Cat.5e	4044951014552	white	0.5 m	180
22	Patch Cable Cat.5e	4044951014217	blue	1 m	200
22	Patch Cable Cat.5e	4044951014286	yellow	1 m	200
22	Patch Cable Cat.5e	4044951014354	green	1 m	200
22	Patch Cable Cat.5e	4044951014422	red	1 m	200
22	Patch Cable Cat.5e	4044951014491	black	1 m	200
22	Patch Cable Cat.5e	4044951014637	grey	1 m	200
22	Patch Cable Cat.5e	4044951014569	white	1 m	150
22	Patch Cable Cat.5e	4044951017768	blue	1.5 m	200
22	Patch Cable Cat.5e	4044951017737	yellow	1.5 m	200
22	Patch Cable Cat.5e	4044951017744	green	1.5 m	200
22	Patch Cable Cat.5e	4044951017751	red	1.5 m	200
22	Patch Cable Cat.5e	4044951017713	black	1.5 m	200
22	Patch Cable Cat.5e	4044951017720	grey	1.5 m	200
22	Patch Cable Cat.5e	4044951017799	white	1.5 m	120

Page	Article	EAN	Color	Length	Packing
22	Patch Cable Cat.5e	4044951014224	blue	2 m	150
22	Patch Cable Cat.5e	4044951014293	yellow	2 m	150
22	Patch Cable Cat.5e	4044951014361	green	2 m	150
22	Patch Cable Cat.5e	4044951014439	red	2 m	150
22	Patch Cable Cat.5e	4044951014507	black	2 m	150
22	Patch Cable Cat.5e	4044951014644	grey	2 m	150
22	Patch Cable Cat.5e	4044951014576	white	2 m	80
22	Patch Cable Cat.5e	4044951014231	blue	3 m	100
22	Patch Cable Cat.5e	4044951014309	yellow	3 m	100
22	Patch Cable Cat.5e	4044951014378	green	3 m	100
22	Patch Cable Cat.5e	4044951014446	red	3 m	100
22	Patch Cable Cat.5e	4044951014514	black	3 m	100
22	Patch Cable Cat.5e	4044951014651	grey	3 m	100
22	Patch Cable Cat.5e	4044951014583	white	3 m	60
22	Patch Cable Cat.5e	4044951014248	blue	5 m	50
22	Patch Cable Cat.5e	4044951014316	yellow	5 m	50
22	Patch Cable Cat.5e	4044951014385	green	5 m	50
22	Patch Cable Cat.5e	4044951014453	red	5 m	50
22	Patch Cable Cat.5e	4044951014521	black	5 m	50
22	Patch Cable Cat.5e	4044951014668	grey	5 m	50
22	Patch Cable Cat.5e	4044951014590	white	5 m	40
22	Patch Cable Cat.5e	4044951014255	blue	10 m	50
22	Patch Cable Cat.5e	4044951014323	yellow	10 m	50
22	Patch Cable Cat.5e	4044951014392	green	10 m	50
22	Patch Cable Cat.5e	4044951014460	red	10 m	50
22	Patch Cable Cat.5e	4044951014538	black	10 m	50
22	Patch Cable Cat.5e	4044951014675	grey	10 m	50
22	Patch Cable Cat.5e	4044951014606	white	10 m	25
23	Patch Cable Cat.6	4044951014682	blue	0.25 m	180
23	Patch Cable Cat.6	4044951014750	yellow	0.25 m	150
23	Patch Cable Cat.6	4044951014828	green	0.25 m	250
23	Patch Cable Cat.6	4044951014897	red	0.25 m	180
23	Patch Cable Cat.6	4044951014965	black	0.25 m	180
23	Patch Cable Cat.6	4044951015108	grey	0.25 m	180
23	Patch Cable Cat.6	4044951015030	white	0.25 m	180
23	Patch Cable Cat.6	4044951014699	blue	0.5 m	180
23	Patch Cable Cat.6	4044951014767	yellow	0.5 m	80
23	Patch Cable Cat.6	4044951014835	green	0.5 m	180
23	Patch Cable Cat.6	4044951014903	red	0.5 m	180



Page	Article	EAN	Color	Length	Packing
23	Patch Cable Cat.6	4044951014972	black	0.5 m	180
23	Patch Cable Cat.6	4044951003679	grey	0.5 m	180
23	Patch Cable Cat.6	4044951015047	white	0.5 m	180
23	Patch Cable Cat.6	4044951014705	blue	1 m	150
23	Patch Cable Cat.6	4044951014774	yellow	1 m	60
23	Patch Cable Cat.6	4044951014842	green	1 m	150
23	Patch Cable Cat.6	4044951014910	red	1 m	150
23	Patch Cable Cat.6	4044951014989	black	1 m	150
23	Patch Cable Cat.6	4044951003686	grey	1 m	150
23	Patch Cable Cat.6	4044951015054	white	1 m	150
23	Patch Cable Cat.6	4044951017850	blue	1.5 m	180
23	Patch Cable Cat.6	4044951017829	yellow	1.5 m	120
23	Patch Cable Cat.6	4044951017836	green	1.5 m	120
23	Patch Cable Cat.6	4044951017843	red	1.5 m	120
23	Patch Cable Cat.6	4044951017805	black	1.5 m	120
23	Patch Cable Cat.6	4044951017812	grey	1.5 m	120
23	Patch Cable Cat.6	4044951017867	white	1.5 m	120
23	Patch Cable Cat.6	4044951014712	blue	2 m	80
23	Patch Cable Cat.6	4044951014781	yellow	2 m	40
23	Patch Cable Cat.6	4044951014859	green	2 m	80
23	Patch Cable Cat.6	4044951014927	red	2 m	80
23	Patch Cable Cat.6	4044951014996	black	2 m	80
23	Patch Cable Cat.6	4044951015115	grey	2 m	80
23	Patch Cable Cat.6	4044951015061	white	2 m	80
23	Patch Cable Cat.6	4044951014729	blue	3 m	60
23	Patch Cable Cat.6	4044951014798	yellow	3 m	25
23	Patch Cable Cat.6	4044951014866	green	3 m	60
23	Patch Cable Cat.6	4044951014934	red	3 m	60
23	Patch Cable Cat.6	4044951015009	black	3 m	60
23	Patch Cable Cat.6	4044951003693	grey	3 m	60
23	Patch Cable Cat.6	4044951015078	white	3 m	60
23	Patch Cable Cat.6	4044951014736	blue	5 m	40
23	Patch Cable Cat.6	4044951014804	yellow	5 m	40
23	Patch Cable Cat.6	4044951014873	green	5 m	40
23	Patch Cable Cat.6	4044951014941	red	5 m	40
23	Patch Cable Cat.6	4044951015016	black	5 m	40
23	Patch Cable Cat.6	4044951003709	grey	5 m	40
23	Patch Cable Cat.6	4044951015085	white	5 m	40

Page	Article	EAN	Color	Length	Packing
23	Patch Cable Cat.6	4044951014743	blue	10 m	25
23	Patch Cable Cat.6	4044951014811	yellow	10 m	180
23	Patch Cable Cat.6	4044951014880	green	10 m	25
23	Patch Cable Cat.6	4044951014958	red	10 m	25
23	Patch Cable Cat.6	4044951015023	black	10 m	25
23	Patch Cable Cat.6	4044951003723	grey	10 m	25
23	Patch Cable Cat.6	4044951015092	white	10 m	25
23	Patch Cable Cat.6	4044951003747	grey	20 m	20
23	Patch Cable Cat.6	4044951003761	grey	100 m	6
25	SATA 2 90°	4044951007875	red	50 cm	500
25	SATA 2 180°	4044951007868	red	50 cm	500
26	SATA 3 90°	4044951016488	blue	0.3 m	400
26	SATA 3 90°	4044951016471	green	0.3 m	400
26	SATA 3 90°	4044951016457	red	0.3 m	400
26	SATA 3 90°	4044951016440	black	0.3 m	400
26	SATA 3 90°	4044951016464	white	0.3 m	400
26	SATA 3 90°	4044951016532	blue	0.45 m	400
26	SATA 3 90°	4044951016525	green	0.45 m	400
26	SATA 3 90°	4044951016501	red	0.45 m	400
26	SATA 3 90°	4044951016495	black	0.45 m	400
26	SATA 3 90°	4044951016518	white	0.45 m	400
26	SATA 3 90°	4044951016587	blue	0.6 m	400
26	SATA 3 90°	4044951016570	green	0.6 m	400
26	SATA 3 90°	4044951016556	red	0.6 m	400
26	SATA 3 90°	4044951016549	black	0.6 m	400
26	SATA 3 90°	4044951016563	white	0.6 m	400
26	SATA 3 90°	4044951017171	black	0.75 m	400
26	SATA 3 90°	4044951017188	black	1 m	400
26	SATA 3 180°	4044951016631	blue	0.3 m	400
26	SATA 3 180°	4044951016624	green	0.3 m	400
26	SATA 3 180°	4044951016600	red	0.3 m	400
26	SATA 3 180°	4044951016594	black	0.3 m	400
26	SATA 3 180°	4044951016617	white	0.3 m	400
26	SATA 3 180°	4044951016686	blue	0.45 m	400
26	SATA 3 180°	4044951016679	green	0.45 m	400
26	SATA 3 180°	4044951016655	red	0.45 m	400
26	SATA 3 180°	4044951016648	black	0.45 m	400
26	SATA 3 180°	4044951016662	white	0.45 m	400



Page	Article	EAN	Color	Length	Packing
26	SATA 3 180°	4044951016730	blue	0.6 m	400
26	SATA 3 180°	4044951016723	green	0.6 m	400
26	SATA 3 180°	4044951016709	red	0.6 m	400
26	SATA 3 180°	4044951016693	black	0.6 m	400
26	SATA 3 180°	4044951016716	white	0.6 m	400
26	SATA 3 180°	4044951017157	black	0.75 m	400
26	SATA 3 180°	4044951017164	black	1 m	400
28	Fan Extension 3-Pin	4044951016747	black	0.3 m	800
28	Fan Y-Cable 3-Pin	4044951016754	black	0.2 m	800
29	Power Cable	4044951016761	black	0.3 m	800
29	Power Cable (Adapter Cable)	4044951016778	black	0.3 m	800
30	Internal USB 2.0 to USB 3.0 Adapter	4044951016785	black	0.2 m	500
32	USB Cable with Lightning Connector	4044951018222	white	1 m	1000
32	USB Cable with Lightning Connector	4044951018307	black	1 m	1000



SHARKOON Technologies GmbH

Siemensstraße 38
35440 Linden

Phone: +49-6403-96 814 0
Fax: +49-6403-96 814 99

CEO: Frank Engert
Register court: Giessen HRB 3483
USt.-IDNr. according to §27a UStG.: DE 812916336
WEEE-Reg.No.: DE 13455872

Sales: sales@sharkoon.com
Marketing: marketing@sharkoon.com
Public Relations: pr@sharkoon.com
Information: info@sharkoon.com
Spare Parts: zubehoer@sharkoon.com

SHARKOON Taiwan Co., Ltd.

8F.-1, No. 646, Sec. 5, Chongxin Rd.,
Sanchong Dist., New Taipei City 24158,
Taiwan R.O.C.

Phone: +886 2 2999 5888
Fax: +886 2 2999 1188

Contact: global@sharkoon.com